R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. DAY YEAR (9-14)	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	2724	037	02 19 75	28AG	3545	7528

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0011	08	08	14	984	Y	SW	15

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
1	OC	SA	0	FT	151	—	15	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01	00081	0000	0000	00004

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)

POSITION	LATITUDE	LONGITUDE	LORAN		DEPTH fms	C/C	TIME ON STATION	
			3H4	3H3			PO	DO
START	35° 45′	75° 28′	1357	2957	11		1450	1452
							PU	ON
FINISH	35° 46′	75° 29′	1360	2961	13		1522	1525

LENGTH WARF	SHIFT RPM	PITCH	GEAR DATA:
75	1000 / 5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

BT Taken at beginning of Tow.

OBSERVATIONS

Flounder negative

Blue back positive (Few) Mostly Juvs

4/3 Blue backs (44 lbs)

R/V DAN MOORE SPECIES LIST

STA. NO. 2724 DATE 19 Feb. 19 75 BIOLOGISTS BFH, JSP

TOT. CATCH WT. 85 Finfish: 81 Crust.: 0 Moll.: 0 Other 4

AIR 13.5°C SURFACE 8.2 BOTT. 7.7 (Thermister)

SPECIES	CODE	NUMBER	WEIGHT	DATA TAKEN	REMARKS
Squalus acanthias		4	34		
Alosids - All Alosa Aestivalis		413	44	✓	KEPT
Loligo pealei	ad.	4	1.6 kg		
Merluccius bilinearis		1	1.1 kg		
Peprilus triacanthus		3	.30 kg		
Prionotus carolinus		1	.25 kg		
Loligo pealei	juv	6	.05 kg		

TOTAL CATCH

F.L. Frequency Distribution STATION # 2724

Blueback herring (Alosa aestivalis) Total # 413 - 44 Lbs

range	female (♀) 127 - 230	male (♂) 140 - 240	UNK
120 - 124			sex
125 - 129	1 (1)		
130 - 134			
135 - 139			
140 - 144	𝍸 𝍸 1 (11)	𝍸 111 (8)	
145 - 149	𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 1111 (44)	𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 111 (48)	11
150 - 154	𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 (56)	𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 (45)	
155 - 159	𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 111 (38)	𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 1 (41)	1
160 - 164	𝍸 𝍸 𝍸 𝍸 𝍸 𝍸 111 (23)	𝍸 𝍸 𝍸 𝍸 1111 (19)	
165 - 169	𝍸 (5)	𝍸 𝍸 111 (13)	
170 - 174	𝍸 𝍸 111 (13)	𝍸 11 (7)	
175 - 179	𝍸 1 (6)	𝍸 111 (8)	
180 - 184		111 (3)	
185 - 189	1 (1)		
190 - 194			
195 - 199	1 (1)	11 (2)	
200 - 204			
205 - 209	1 (1)		
210 - 214		11 (2)	
215 - 219		1 (1)	
220 - 224		11 (2)	
225 - 229			
230 - 234	1 (1)	1 (1)	
235 - 239		11 (2)	
240 - 244	(201)	1 (1)	
		(203)	(3)

♀

♂ 1

UNK 𝍸 } unknown length (6)

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore272400unse

Species: Blueback herring (Alosa aestivalis)

Station #	Date	Grid	Length (mm)	Sex	Scales	Age	Spawning marks	Specimen #	REMARKS
2724	2/19/75	28AG	150	♂ Im	—	—	—	BB282	
"	"	"	168	♂ Im	—	—	—	283	
"	"	"	150	♂ Im	—	—	—	284	
"	"	"	156	♂ Im	—	—	—	285	
"	"	"	178	♂ Im	—	—	—	286	
"	"	"	150	♂ Im	—	—	—	287	
"	"	"	160	♂ Im	—	—	—	288	
"	"	"	169	♂ Im	—	—	—	289	
"	"	"	156	♂ Im	—	—	—	290	
"	"	"	160	♀ Im	—	—	—	291	
"	"	"	154	♀ Im	—	—	—	292	
"	"	"	151	♀ Im	—	—	—	293	
"	"	"	149	♀ Im	—	—	—	294	
"	"	"	145	♂ Im	—	—	—	295	
"	"	"	149	♀ Im	—	—	—	296	
"	"	"	158	♂ Im	—	—	—	297	
"	"	"	157	♂ Im	—	—	—	298	
"	"	"	172	♀ Im	—	—	—	299	
"	"	"	150	♀ Im	—	—	—	300	
"	"	"	161	♂ Im	—	—	—	301	
"	"	"	157	♂ Im	—	—	—	302	
"	"	"	157	♀ Im	—	—	—	303	
"	"	"	160	♀ Im	—	—	—	304	
"	"	"	159	♂ Im	—	—	—	305	
"	"	"	155	♂ Im	—	—	—	306	
"	"	"	147	♂ Im	—	—	—	307	
"	"	"	160	♂ Im	—	—	—	308	
"	"	"	184	♂ Im	—	—	—	309	
"	"	"	151	♂ Im	—	—	—	310	
"	"	"	170	♀ Im	—	—	—	311	
"	"	"	175	♂ Im	—	—	—	312	
"	"	"	165	♀ Im	—	—	—	313	
"	"	"	155	♂ Im	—	—	—	314	
"	"	"	171	♀ Im	—	—	—	315	
"	"	"	145	♂ Im	—	—	—	316	
"	"	"	157	♂ Im	—	—	—	317	
"	"	"	178	♂ Im	—	—	—	318	
"	"	"	150	♀ Im	—	—	—	319	
"	"	"	150	♂ Im	—	—	—	320	
"	"	"	150	♀ Im	—	—	—	321	
"	"	"	151	♀ Im	—	—	—	322	
"	"	"	145	♂ Im	—	—	—	323	
"	"	"	155	♂ Im	—	—	—	324	
"	"	"	—	♂ Im	—	—	—	325	
"	"	"	147	♂ Im	—	—	—	326	
"	"	"	147	♂ Im	—	—	—	327	
"	"	"	170	♂ Im	—	—	—	328	
"	"	"	145	♀ Im	—	—	—	329	
"	"	"	140	♀ Im	—	—	—	330	
"	"	"	145	♀ Im	—	—	—	331	
"	"	"	195	♀ Im	—	—	—	332	

Species

Glacier Terrace (Alaska, [illegible])

Station #	Date	Grid	Length (mm)	Sex	Scales	Age	Spawning marks	Specimen #	REMARKS
2724	2/19/75	28HG	146	♂ Im	—	—	—	333	
"	"	"	180	♂ Im	—	—	—	334	
"	"		160	♂ Im	—	—	—	335	
"	"		140	♀ Im	—	—	—	336	
"	"	"	145	♂ Im	—	—	—	337	
"	"	"	148	♀ Im	—	—	—	338	
"	"	"	150	♂ Im	—	—	—	339	
"	"	"	147	♀ Im	—	—	—	[illegible]	
"	"	"	160	♀ Im	—	—	—	[illegible]	
"	"	"	160	♂ Im	—	—	—	342	
"	"	"	145	♀ Im	—	—	—	343	
"	"	"	160	♀ Im	—	—	—	344	
"	"	"	150	♀ Im	—	—	—	345	
"	"	"	160	♂ Im	—	—	—	346	
"	"	"	163	♂ Im	—	—	—	347	
"	"	"	150	♂ Im	—	—	—	348	
"	"	"	182	♂ Im	—	—	—	349	
"	"	"	147	♀ Im	—	—	—	350	
"	"	"	150	♀ Im	—	—	—	351	
"	"	"	145	♀ Im	—	—	—	352	
"	"	"	162	♂ Im	—	—	—	353	
"	"	"	151	♂ Im	—	—	—	354	
"	"	"	164	♀ Im	—	—	—	355	
"	"	"	150	♂ Im	—	—	—	356	
"	"	"	151	♀ Im	—	—	—	357	
"	"	"	127	♀ Im	—	—	—	358	
"	"	"	153	♀ Im	—	—	—	359	
"	"	"	145	♀ Im	—	—	—	360	
"	"	"	160	♀ Im	—	—	—	361	
"	"	"	150	♀ Im	—	—	—	362	
"	"	"	146	♀ Im	—	—	—	363	
"	"	"	148	♀ Im	—	—	—	364	
"	"	"	146	♂ Im	—	—	—	365	
"	"	"	145	♀ Im	—	—	—	366	
"	"	"	193	♂ Im	—	—	—	367	
"	"	"	170	♂ Im	—	—	—	368	
"	"	"	155	♂ Im	—	—	—	369	
"	"	"	157	♀ Im	—	—	—	370	
"	"	"	145	♂ Im	—	—	—	371	
"	"	"	101	♀ Im	—	—	—	372	
"	"	"	178	♂ Im	—	—	—	373	
"	"	"	140	♀ Im	—	—	—	374	
"	"	"	145	♀ Im	—	—	—	375	
"	"	"	150	♂ Im	—	—	—	376	
"	"	"	170	♀ Im	—	—	—	377	
"	"	"	155	♂ Im	—	—	—	378	
"	"	"	150	♀ Im	—	—	—	379	
"	"	"	142	♀ Im	—	—	—	380	
"	"	"	155	♂ Im	—	—	—	381	
"	"	"	160	♀ Im	—	—	—	382	
"	"	"	160	♀ Im	—	—	—	383	

Species: Blueback herring (Alosa aestivalis)

STATION #	Date	Grid	Length (mm)	Sex	Scales	Age	Spawning marks	Specimen #	REMARKS
2724	2/19/76	28AG	160	♀ Im	—	—	—	BB 384	
"	"	"	154	♂ Im	—	—	—	385	
"	"	"	150	♀ Im	—	—	—	386	
"	"	"	157	♀ Im	—	—	—	387	
"	"	"	170	♀ Im	—	—	—	388	
"	"	"	175	♂ Im	—	—	—	389	
"	"	"	170	♀ Im	—	—	—	390	
"	"	"	150	♀ Im	—	—	—	391	
"	"	"	149	♀ Im	—	—	—	392	
"	"	"	158	♀ Im	—	—	—	393	
"	"	"	155	♂ Im	—	—	—	394	
"	"	"	155	♀ Im	—	—	—	395	
"	"	"	145	♀ Im	—	—	—	396	
"	"	"	155	♀ Im	—	—	—	397	
"	"	"	146	♂ Im	—	—	—	398	
"	"	"	167	♀ Im	—	—	—	399	
"	"	"	153	♀ Im	—	—	—	400	
"	"	"	154	♂ Im	—	—	—	401	
"	"	"	146	♀ Im	—	—	—	402	
"	"	"	151	♀ Im	—	—	—	403	
"	"	"	150	♂ Im	—	—	—	404	
"	"	"	162	♂ Im	—	—	—	405	
"	"	"	150	♂ Im	—	—	—	406	
"	"	"	147	♀ Im	—	—	—	407	
"	"	"	164	♂ Im	—	—	—	408	
"	"	"	151	♀ Im	—	—	—	409	
"	"	"	170	♂ Im	—	—	—	410	
"	"	"	154	♂ Im	—	—	—	411	
"	"	"	145	♂ Im	—	—	—	412	
"	"	"	153	♂ Im	—	—	—	413	
"	"	"	157	♀ Im	—	—	—	414	
"	"	"	168	♂ Im	—	—	—	415	
"	"	"	154	♂ Im	—	—	—	416	
"	"	"	147	♂ Im	—	—	—	417	
"	"	"	155	♂ Im	—	—	—	418	
"	"	"	155	♀ Im	—	—	—	419	
"	"	"	153	♂ Im	—	—	—	420	
"	"	"	172	♀ Im	—	—	—	421	
"	"	"	176	♀ Im	—	—	—	422	
"	"	"	148	♀ Im	—	—	—	423	
"	"	"	149	♂ Im	—	—	—	424	
"	"	"	160	♀ Im	—	—	—	425	
"	"	"	147	♂ Im	—	—	—	426	
"	"	"	148	♀ Im	—	—	—	427	
"	"	"	170	♀ Im	—	—	—	428	
"	"	"	145	♀ Im	—	—	—	429	
"	"	"	151	♀ Im	—	—	—	430	
"	"	"	153	♀ Im	—	—	—	431	
	"	"	150	♀ Im	—	—	—	432	
	"	"	150	♂ Im	—	—	—	433	
	"	"	145	♀ Im	—	—	—	434	

Species: Blueback herring (Alosa aestivalis)

STATION #	Date	Grid	Length (mm)	Sex	Scales	Age	Spawning marks	Specimen #	REMARKS
2724	2/19/25	22HG	142	♂ Im	—	—	—	[illegible]	
"	"	"	162	♀ Im	—	—	—	436	
"	"	"	151	♂ Im	—	—	—	437	
"	"	"	147	♂ Im	—	—	—	438	
"	"	"	148	♂ Im	—	—	—	[illegible]	
"	"	"	152	♂ Im	—	—	—	440	
"	"	"	167	♂ Im	—	—	—	441	
"	"	"	167	♂ Im	—	—	—	442	
"	"	"	160	♂ Im	—	—	—	443	
"	"	"	165	♀ Im	—	—	—	444	
"	"	"	146	♀ Im	—	—	—	445	
"	"	"	160	♀ Im	—	—	—	446	
"	"	"	153	♂ Im	—	—	—	447	
"	"	"	155	♀ Im	—	—	—	448	
"	"	"	145	♂ Im	—	—	—	449	
"	"	"	153	♂ Im	—	—	—	450	
"	"	"	147	♂ Im	—	—	—	451	
"	"	"	161	♀ Im	—	—	—	452	
"	"	"	145	♂ Im	—	—	—	453	
"	"	"	150	♀ Im	—	—	—	[illegible]	
"	"	"	155	♂ Im	—	—	—	455	
"	"	"	157	♀ Im	—	—	—	456	
"	"	"	157	♂ Im	—	—	—	457	
"	"	21	150	♀ Im	—	—	—	[illegible]	
"	"	"	144	♂ Im	—	—	—	459	
"	"	"	154	♂ Im	—	—	—	460	
"	"	"	145	♀ Im	—	—	—	461	
"	"	"	156	♀ Im	—	—	—	462	
"	"	"	145	♀ Im	—	—	—	463	
"	"	"	150	♀ Im	—	—	—	464	
"	"	"	155	♀ Im	—	—	—	465	
"	"	"	—	UNK	—	—	—	466	
"	"	"	153	♂ Im	—	—	—	467	
"	"	"	162	♂ Im	—	—	—	[illegible]	
"	"	"	148	♂ Im	—	—	—	469	
"	"	"	148	♀ Im	—	—	—	470	
"	"	"	155	♀ Im	—	—	—	471	
"	"	"	153	♀ Im	—	—	—	472	
"	"	"	166	♂ Im	—	—	—	473	
"	"	"	150	♀ Im	—	—	—	474	
"	"	"	160	♀ Im	—	—	—	475	
"	"	"	163	♂ Im	—	—	—	476	
"	"	"	145	♂ Im	—	—	—	477	
"	"	"	155	♂ Im	—	—	—	478	
"	"	"	159	♀ Im	—	—	—	479	
"	"	"	230	♀ I	—	—	—	480	
"	"	"	212	♂ Im	—	—	—	481	
"	"	"	230	♂	✓			[illegible]	
"	"	"	230	♂	✓			483	
"	"	"	155	♀ Im	—	—	—	484	
"	"	"	[illegible]	♀ Im				485	

Species

Blackcheek hagfish (*Eptatretus zestivalis*)

Station #	Date	Vessel	Length (mm)	Sex	Stage	Age	Specimen Weight (kg)	Specimen #	Remarks
2724	3/14/76	28AG	147	♂ Im	✓	—	—	—	498
"	"	"	148	♀ Im	✓	—	—	—	497
"	"	"	144	♂ Im	✓	—	—	—	499
"	"	"	152	♂ Im	✓	—	—	—	501
"	"	"	153	♂ Im	✓	—	—	—	502
"	"	"	150	♂ Im	✓	—	—	—	496
"	"	"	145	♂ Im	✓	—	—	—	495
"	"	"	155	♂ Im	✓	—	—	—	492
"	"	"	147	♂ Im	✓	—	—	—	503
"	"	"	151	♂ Im	✓	—	—	—	505
"	"	"	144	♂ Im	✓	—	—	—	504
"	"	"	211	♂ Im	✓	—	—	—	506
"	"	"	152	♀ Im	✓	—	—	—	508
"	"	"	150	♀ Im	✓	—	—	—	509
"	"	"	160	♀ Im	✓	—	—	—	507
"	"	"	150	♂ Im	✓	—	—	—	491
"	"	"	165	♀ Im	✓	—	—	—	510
"	"	"	148	♂ Im	✓	—	—	—	500
"	"	"	148	♀ Im	✓	—	—	—	493
"	"	"	147	♂ Im	✓	—	—	—	494
"	"	"	143	♀ Im	✓	—	—	—	498
"	"	"	160	♂ Im	✓	—	—	—	490
"	"	"	162	♂ Im	✓	—	—	—	511
"	"	"	150	♀ Im	✓	—	—	—	512
"	"	"	163	♀ Im	✓	—	—	—	513
"	"	"	165	♂ Im	✓	—	—	—	514
"	"	"	160	♂ Im	✓	—	—	—	515
"	"	"	157	♀ Im	✓	—	—	—	516
"	"	"	153	♂ Im	✓	—	—	—	517
"	"	"	155	♂ Im	✓	—	—	—	518
"	"	"	147	♀ Im	✓	—	—	—	519
"	"	"	150	♀ Im	✓	—	—	—	520
"	"	"	148	♂ Im	✓	—	—	—	521
"	"	"	145	♂ Im	✓	—	—	—	522
"	"	"	160	♀ Im	✓	—	—	—	523
"	"	"	146	♂ Im	✓	—	—	—	524
"	"	"	155	♂ Im	✓	—	—	—	525
"	"	"	156	♀ Im	✓	—	—	—	526
"	"	"	151	♀ Im	✓	—	—	—	527
"	"	"	145	♂ Im	✓	—	—	—	528
"	"	"	145	♀ Im	✓	—	—	—	529
"	"	"	160	♀ Im	✓	—	—	—	530
"	"	"	177	♂ Im	✓	—	—	—	531
"	"	"	153	♂ Im	✓	—	—	—	532
"	"	"	155	♂ Im	✓	—	—	—	533
"	"	"	155	♀ Im	✓	—	—	—	534
"	"	"	155	♂ Im	✓	—	—	—	535
"	"	"	150	♀ Im	✓	—	—	—	536

Species: Blueback herring (Alosa aestivalis)

Station #	Date	Area	Length (mm)	Sex	Scales	Age	Spawning marks	Specimen #	REMARKS
2724	2/19/75	28 AG	158	♂ Im	—	—	—	BB 537	
			157	♀ Im	—	—	—	538	
"	"	"	160	♀ Im	—	—	—	539	
"	"	"	155	♂ Im	—	—	—	540	
"	"	"	145	♂ Im	—	—	—	541	
"	"	"	160	♂ Im	—	—	—	542	
"	"	"	150	♀ Im	—	—	—	543	
"	"	"	148	♂ Im	—	—	—	544	
"	"	"	155	♀ Im	—	—	—	545	
"	"	"	153	♂ Im	—	—	—	546	
"	"	"	152	♀ Im	—	—	—	547	
"	"	"	157	♀ Im	—	—	—	548	
"	"	"	158	♀ Im	—	—	—	549	
			[illegible]	♀ Im	—	—	—	550	
"	"	"	150	♀ Im	—	—	—	551	
"	"	"	142	♀ Im	✓			552	
"	"	"	148	♀ Im	—	—	—	553	
"	"	"	175	♀ Im	—	—	—	554	
"	"	"	151	♀ Im	—	—	—	555	
"	"	"	140	♂ Im	—	—	—	556	
"	"	"	150	♂ Im	—	—	—	557	
"	"	"	155	♀ Im	—	—	—	558	
"	"	"	146	♂ Im	—	—	—	559	
"	"	"	146	♀ Im	—	—	—	560	
"	"	"	148	♀ Im	—	—	—	561	
"	"	"	144	♀ Im	—	—	—	562	
"	"	"	143	♀ Im	—	—	—	563	
"	"	"	145	♂ Im	—	—	—	564	
"	"	"	155	♀ Im	—	—	—	565	
"	"	"	—	UNK	—	—	—	566	
"	"	"	238	♂	✓			567	
"	"	"	150	♀ Im	—	—	—	568	
"	"	"	148	♂ Im	—	—	—	569	
"	"	"	150	♀ Im	—	—	—	570	
"	"	"	141	♂ Im	—	—	—	571	
"	"	"	147	♀ Im	—	—	—	572	
"	"	"	165	♂ Im	—	—	—	573	
		"	153	♂ Im	—	—	—	574	
	"	"	158	♀ Im	—	—	—	575	
"	"	"	150	♂ Im	—	—	—	576	
"	"	"	148	♀ Im	—	—	—	577	
"	"	"	170	♂ Im	—	—	—	578	
"	"	"	153	♀ Im	—	—	—	579	
"	"	"	150	♂ Im	—	—	—	580	
"	"	"	145	♀ Im	—	—	—	581	
"	"	"	146	♂ Im	—	—	—	582	
		"	155	♂ Im	—	—	—	583	
"	"	"	186	♀ Im	—	—	—	584	
"	"	"	143	♀ Im	—	—	—	585	
"	"	"	151	♀ Im	—	—	—	586	
"	"	"	145	♀ Im	—	—	—	587	

Species:

Species: Blueback herring (Alosa aestivalis)

STATION #	Date	Grid	Length (mm)	Sex	Scales	Age	Spawning marks	#	REMARKS
2724	2/19/75	28AG	140	♂ Im	—	—	—	BB 588	
								589	
"	"	"	153	♀ Im				590	
			140	♂ Im				591	
			142	UNK				592	
								593	
					—	—	—		
"	"	"	147	♀ Im	—	—	—		
"	"	"	147	♂ Im	—	—	—	596	
"	"	"	165	♂ Im	—	—	—	597	
"	"	"	150	♀ Im	—	—	—	598	
"	"	"	149	♂ Im	—	—	—	599	
"	"	"	155	♂ Im	—	—	—	600	
"	"	"	158	♀ Im	—	—	—	601	
"	"	"	150	♀ Im	—	—	—	602	
"	"	"	157	♀ Im	—	—	—	603	
"	"	"			—	—	—		
"	"	"	196	♂ Im	✓				
"	"	"	155	♀ Im				611	
			143	♀ Im				612	
								616	
			145	♂ Im				617	
			153	♀ Im				618	
								619	
			155	♂ Im				621	
								622	
								623	
			145	♀ Im				624	
"	"	"	160	♀ Im				625	
			152	♀ Im				626	
			150	♀ Im				627	
			160	♂ Im				633	
			147	♂ Im	—	—	—	634	
			155	UNK	—	—	—	635	
"	"	"	154	♀ Im	—	—	—	636	
"	"	"	148	♂ Im	—	—	—	637	
"	"	"	154	♀ Im	—	—	—	638	

Species: blueback herring (Alosa aestivalis)

Station #	Date	Grid	Length (mm)	Sex	Scales	Age	Spawning marks	Specimen #	REMARKS
6324	2/19/25	28AG	155	♂ Im	—	—	—	EB 639	
"	"	"	165	♀ Im	—	—	—	640	
"	"	"	167	♂ Im	—	—	—	641	
"	"	"	154	♀ Im	—	—	—	642	
"	"	"	167	♂ Im	—	—	—	643	
"	"	"	162	♀ Im	—	—	—	644	
"	"	"	[illegible]	♀ Im	—	—	—	[illegible]	
"	"	"	174	♂ Im	—	—	—	646	
"	"	"	154	♂ Im	—	—	—	647	
"	"	"	163	♀ Im	—	—	—	648	
			[illegible]	[illegible]				[illegible]	
			[illegible]	[illegible]				[illegible]	
"	"	"	147	♂ Im	—	—	—	651	
			[illegible]	[illegible]				[illegible]	
"	"	"	158	♀ Im	—	—	—	[illegible]	
"	"	"	152	♀ Im	—	—	—	654	
"	"	"	160	♂ Im	—	—	—	[illegible]	
"	"	"	149	UNK	—	—	—	656	
			[illegible]	♀ Im	—	—	—	657	
			[illegible]	♀ Im	—	—	—	[illegible]	
			147	♂ Im	—	—	—	[illegible]	
			145	♀ Im	—	—	—	660	
			[illegible]	[illegible]	—	—	—	661	
			155	♂ Im	—	—	—	662	
			165	♂ Im	—	—	—	663	
			155	♀ Im	—	—	—	[illegible]	
			150	♀ Im	—	—	—	[illegible]	
"	"	"	153	♀ Im	—	—	—	666	
"	"	"	163	♀ Im	—	—	—	667	
"	"	"	155	♂ Im	—	—	—	668	
"	"	"	152	♂ Im	—	—	—	[illegible]	
"	"	"	154	♀ Im	—	—	—	670	
"	"	"	172	♀ Im	—	—	—	[illegible]	
"	"	"	145	♂ Im	—	—	—	[illegible]	
"	"	"	150	♀ Im	—	—	—	673	
"	"	"	—	UNK	—	—	—	[illegible]	
"	"	"	150	♂ Im	—	—	—	[illegible]	
"	"	"	147	♀ Im	—	—	—	676	
"	"	"	147	♀ Im	—	—	—	677	
"	"	"	157	♀ Im	—	—	—	678	
"	"	"	[illegible]	♀ Im	—	—	—	679	
			[illegible]	♂ Im	—	—	—	680	
			—	UNK	—	—	—	681	
			168	♂ Im	—	—	—	682	
"	"	"	—	UNK	—	—	—	683	
"	"	"	157	♀ Im	—	—	—	684	
"	"	"	145	♀ Im	—	—	—	[illegible]	
"	"	"	157	♂ Im	—	—	—	[illegible]	
"	"	"	164	♀ Im	—	—	—	[illegible]	
"	"	"	147	♂ Im	—	—	—	[illegible]	
"	"	"	156	♀ Im	—	—	—	[illegible]	

Species: Blue back herring (Alosa aestivalis)

STATION #	Date	Grid	Length (mm)	Sex	Scales	Age	Spawning marks	Specimen #	REMARKS
2724	2/19/75	28AG	150	♂ Im J	—	—	—	BB 690	
"	"	"	140	♂ J	✓			691	
"	"	"	223	♂ J	✓			692	
"	"	"	219	♂ J	✓			693	
"	"	"	220	♂ J	✓			694	